

```

<?xml version="1.0" encoding="UTF-8"?>
<xs:schema
  xmlns:xs="http://www.w3.org/2001/XMLSchema"
  elementFormDefault="qualified"
  attributeFormDefault="qualified"

  targetNamespace="http://studieData.nl/schema/instituteData"
  xmlns:ns1="http://studieData.nl/schema/instituteData">
  <xs:import
    namespace="http://www.w3.org/XML/1998/namespace"
    schemaLocation="http://www.w3.org/2001/xml.xsd"/>

    <xs:annotation>
      <xs:documentation>
        Copyright Bart de Jong, Web-walker.nl

        v0.9      Bart de Jong - October 10th, 2012
        v0.91     Bart de Jong - October 19th, 2012
        v0.92     Bart de Jong - November 8th, 2012
        v0.93     Bart de Jong - December 3rd, 2012 --
added subject lipdub, increased descriptionText size to 2400
added mediaItem
        v0.94     Bart de Jong - November 17th, 2013 --
added subject matching
        v0.95     Bart de Jong - March 6th 2015 - added
localization to media>url

        v0.96     Bart de Jong - March 20th - added subject
option associates
      </xs:documentation>
    </xs:annotation>

    <xs:element name="instituteData">
      <xs:complexType>
        <xs:sequence>
          <xs:element ref="ns1:editor"/>
          <xs:element name="format" type="xs:string"/>
          <xs:element name="generator"
type="xs:string"/>

          <xs:element minOccurs="0" maxOccurs="2"
name='locationAddress' type="ns1:address"/>
          <xs:element minOccurs="0"
maxOccurs="unbounded" ref="ns1:contactData"/>
          <xs:element minOccurs="0"
maxOccurs="unbounded" ref="ns1:contentLink"/>
          <xs:element minOccurs="0"
maxOccurs="unbounded" ref="ns1:mediaItem"/>
          <xs:element minOccurs="0"
maxOccurs="unbounded" ref="ns1:instituteDescription"/>
          <xs:element ref="ns1:instituteId"/>
<!-- id of this orgUnit -->
          <xs:element minOccurs="0"
maxOccurs="unbounded" ref="ns1:instituteLocation"/>
          <xs:element minOccurs="1"
maxOccurs="unbounded" ref="ns1:instituteName"/>

```

```

        <xs:element minOccurs="0"
maxOccurs="unbounded" ref="ns1:instituteSummary"/>
        <xs:element name="instituteType"
type="ns1:instituteType"/>
        <xs:element minOccurs="0"
maxOccurs="unbounded" ref="ns1:subUnit"/>        <!--
information about subunits (departments, faculties) -->
        <xs:element minOccurs="0"
maxOccurs="unbounded" ref='ns1:webLink'/>

        <xs:element minOccurs="0" maxOccurs="1"
ref="ns1:orgUnitDataFree"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>

    <xs:element type="ns1:localizedString200"
name="instituteName"/>

    <xs:element name="instituteLocation">
        <xs:complexType>
            <xs:sequence>
                <xs:element minOccurs="0" maxOccurs="2"
name='locationAddress' type="ns1:address"/>
                <xs:element minOccurs="0"
maxOccurs="unbounded" name='locationForeignId'/>
                <xs:element name='locationId'/>
                <xs:element minOccurs="1"
maxOccurs="unbounded" name='locationName' />
            </xs:sequence>
        </xs:complexType>
    </xs:element>

    <xs:element name="locationForeignId">
        <xs:complexType>
            <xs:sequence>
                <xs:element ref="ns1:instituteId"/>
                <xs:element name="foreignDbName"
type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="instituteDescription"
type="ns1:localizedString"/>
    <xs:element name="instituteSummary"
type="ns1:localizedString200"/>

    <xs:simpleType name="instituteType">
        <xs:restriction base="xs:string">
            <xs:enumeration value="research university"/>
        </xs:restriction>
    </xs:simpleType>
<!-- research and education oriented academic organizational
object -->

```

```

        <xs:enumeration value="technical research
university"/>    <!-- technical research and education
oriented academic organizational object -->
        <xs:enumeration value="university of applied
sciences"/>    <!-- education oriented organizational
object -->

        <xs:enumeration value="chair"/>
<!-- narrow research oriented organizational object -->
        <xs:enumeration value="faculty"/>
<!-- organizational object that includes one or more study
programmes -->
        <xs:enumeration value="graduate school"/>
<!-- education oriented organizational object -->

        <xs:enumeration value="hub"/>
<!-- organization offering data aggregations -->

        <xs:enumeration value="educational institute"/>
<!-- broad education oriented organizational object -->
        <xs:enumeration value="institute"/>
<!-- both education and research oriented organizational
object -->
        <xs:enumeration value="research institute"/>
<!-- broad research oriented organizational object -->
    </xs:restriction>
</xs:simpleType>

    <xs:annotation>
        <xs:documentation>
            orgUnit is a part of an educational institute.
            Each organizational unit is listed directly under
the root OrgUnitData and is syntactically equal to each other
unit.

            Organizational hierarchy can be captured by
listing the instituteId of sub-units in subUnit element.
        </xs:documentation>
    </xs:annotation>
    <xs:complexType name='subUnit'>
        <xs:sequence>
            <xs:element minOccurs="0" maxOccurs="2"
ref="ns1:address"/>
            <xs:element minOccurs="0" maxOccurs="unbounded"
ref="ns1:contactData"/>
            <xs:element minOccurs="0" maxOccurs="unbounded"
ref="ns1:instituteDescription"/>
            <xs:element name="instituteId"/>
            <xs:element minOccurs="1" maxOccurs="unbounded"
name="instituteName"/>
            <xs:element minOccurs="0" maxOccurs="unbounded"
ref="ns1:instituteSummary"/>
            <xs:element name="instituteType"/>
            <xs:element name="superOrgUnitId"
type="ns1:instituteId"/>
            <xs:element minOccurs="0" maxOccurs="unbounded"

```

```

ref='ns1:webLink' />
  </xs:sequence>
</xs:complexType>

<xs:element name="subUnit" type="ns1:subUnit" />
<xs:element name="orgUnitDataFree" />

<!-- base elements below -->

<xs:simpleType name="instituteId">
  <xs:restriction base="xs:string" />
</xs:simpleType>

<xs:element type="xs:string" name="editor" />
<xs:element type="xs:string" name="generator" />
<xs:element type="xs:string" name="hodexVersion" />
<xs:element type="xs:string" name="instituteId" />

<xs:element type="ns1:countryCode" name="orgUnitCountry" />

<xs:simpleType name="curriculumYearNumber">
  <xs:restriction base='xs:integer'>
    <xs:minInclusive value="1" />
    <xs:maxInclusive value="12" />
  </xs:restriction>
</xs:simpleType>

<xs:element name="contentLink">
  <xs:complexType>
    <xs:complexContent>
      <xs:extension base="ns1:contentLinkType">
        <xs:attribute name="year" use="optional"
type="ns1:curriculumYearNumber" />
      </xs:extension>
    </xs:complexContent>
  </xs:complexType>
</xs:element>

<xs:complexType name="contentLinkType">
  <xs:sequence>
    <xs:element minOccurs="0"
name='contentDescription' type="ns1:localizedString" />
    <xs:element name='contentSummary'
type="ns1:localizedString300" />
    <xs:element name="contentType"
type="ns1:contentType" />
    <xs:element name="subject" type="ns1:subject" />
    <xs:element ref='ns1:webLink' />
  </xs:sequence>
</xs:complexType>

```

```

    </xs:sequence>
</xs:complexType>

<xs:simpleType name="contentType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="brochure"/>
    <xs:enumeration value="image"/>
    <xs:enumeration value="logo"/>
    <xs:enumeration value="movie"/>
    <xs:enumeration value="photo"/>
    <xs:enumeration value="website"/>
  </xs:restriction>
</xs:simpleType>

<xs:element name="contactData">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="2"
ref="ns1:address"/>
      <xs:element ref="ns1:contactName"/>
      <xs:element ref="ns1:email"/>
      <xs:element ref="ns1:role"/>
      <xs:element minOccurs="0"
maxOccurs="unbounded" ref="ns1:subject"/>
      <xs:element ref="ns1:telephone"/>
      <xs:element minOccurs="0"
maxOccurs="unbounded" ref="ns1:webLink"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>

<xs:element type="xs:string" name="contactName"/>
<xs:element type="xs:string" name="role"/>
<xs:element type="xs:string" name="email"/>
<xs:element type="xs:string" name="telephone"/>

<xs:element name="webLink">
  <xs:complexType>
    <xs:simpleContent>
      <xs:extension base="xs:anyURI">
        <xs:attribute ref="xml:lang"/>
      </xs:extension>
    </xs:simpleContent>
  </xs:complexType>
</xs:element>

<xs:element type="ns1:subject" name="subject" />

<xs:simpleType name="subject">
  <xs:restriction base="xs:string">
    <xs:enumeration value="21 plus test"/>
  </xs:restriction>
</xs:simpleType>

```

```

<xs:enumeration value="1st year"/>
<xs:enumeration value="2nd year"/>
<xs:enumeration value="3rd year"/>
<xs:enumeration value="4th year"/>
<xs:enumeration value="accreditation"/>
<xs:enumeration value="additional costs"/>
<xs:enumeration value="advisory board"/>
<xs:enumeration value="after 1st year"/>
<xs:enumeration value="after graduation"/>
<xs:enumeration value="admission"/>
<xs:enumeration value="advanced programs"/>
<xs:enumeration value="alumni association"/>
<xs:enumeration value="application"/>
<xs:enumeration value="application deadline"/>
<xs:enumeration value="assessment interview"/>
<xs:enumeration value="bachelor teacher
programme"/><!-- kopopleiding -->
<xs:enumeration value="base courses"/>
<xs:enumeration value="brochure"/>
<xs:enumeration value="enrollment"/>
<xs:enumeration value="casus"/>
<xs:enumeration value="che"/>
<xs:enumeration value="commercial partners"/>
<xs:enumeration value="contact"/>
<xs:enumeration value="course schedule"/>
<xs:enumeration value="curriculum"/>
<xs:enumeration value="description"/>
<xs:enumeration value="diversity"/>
<xs:enumeration value="discipline"/>
<xs:enumeration value="draw selection"/>
<xs:enumeration value="double degree"/>
<xs:enumeration value="double major"/>
<xs:enumeration value="education"/>
<xs:enumeration value="educational model"/>
<xs:enumeration value="electives"/>
<xs:enumeration value="event calendar"/>
<xs:enumeration value="facts and figures"/>
<xs:enumeration value="faq"/>
<xs:enumeration value="graduation"/>
<xs:enumeration value="handicap"/>
<xs:enumeration value="honours programme"/>
<xs:enumeration value="housing"/>
<xs:enumeration value="instruction language"/>
<xs:enumeration value="instruction modes"/>
<xs:enumeration value="international"/>
<xs:enumeration value="internship"/>
<xs:enumeration value="job perspective"/>
<xs:enumeration value="joint degree"/>
<xs:enumeration value="libdub"/>
<xs:enumeration value="library"/>
<xs:enumeration value="location"/>
<xs:enumeration value="matching"/>
<xs:enumeration value="medical examination"/>
<xs:enumeration value="NESO Certificate"/>
<xs:enumeration value="Netherlands Fellowship
Programme"/>

```

```

education"/>
    <xs:enumeration value="numerus fixus"/>
    <xs:enumeration value="objectives"/>
    <xs:enumeration value="organization of
education"/>
    <xs:enumeration value="our offer"/>
    <xs:enumeration value="characteristics"/>
    <xs:enumeration value="program guide"/>
    <xs:enumeration value="program start"/>
    <xs:enumeration value="projects"/>
    <xs:enumeration value="re-enrollment"/>
    <xs:enumeration value="research"/>
    <xs:enumeration value="research areas"/>
    <xs:enumeration value="research partners"/>
    <xs:enumeration value="scheduled hours"/>
    <xs:enumeration value="selection"/>
    <xs:enumeration value="short program"/>
    <xs:enumeration value="sprachkurs"/>
    <xs:enumeration value="students"/>
    <xs:enumeration value="Studie in Cijfers"/>
    <xs:enumeration value="study abroad"/>
    <xs:enumeration value="study advisor"/>
    <xs:enumeration value="student
administration"/>
    <xs:enumeration value="student
characteristics"/>
    <xs:enumeration value="student profile"/>
    <xs:enumeration value="study advise"/>
    <xs:enumeration value="study association"/>
    <xs:enumeration value="study facilities"/>
    <xs:enumeration value="study guidance"/>
    <xs:enumeration value="study load"/>
    <xs:enumeration value="study info"/>
    <xs:enumeration value="study route"/>
    <xs:enumeration value="socio-economic
contribution"/>
    <xs:enumeration value="sustainable
strengthening"/>
    <xs:enumeration value="sport"/>
    <xs:enumeration value="Studielink"/>
    <xs:enumeration value="teachers"/>
    <xs:enumeration value="tracks"/>
    <xs:enumeration value="uniqueness"/>

    <xs:enumeration value="transfer from a
polytechnic to an academic institute"/>
    <xs:enumeration value="applying with a non-
academic pre-education"/>
    <xs:enumeration value="applying with an
academic pre-education"/>
    <xs:enumeration value="transferring from an
academic institute"/>
    <xs:enumeration value="transferring from a
non-academic institute"/>

    <xs:enumeration value="tuition fee"/>

```

```

        <xs:enumeration value="student testimonial"/>
        <xs:enumeration value="teacher testimonial"/>
        <xs:enumeration value="alumnus testimonial"/>
        <xs:enumeration value="researcher
testimonial"/>
        <xs:enumeration value="study advisor
testimonial"/>

        <xs:enumeration value="associates"/>
        <xs:enumeration value="bachelors"/>
        <xs:enumeration value="masters"/>
    </xs:restriction>
</xs:simpleType>

```

```

<xs:element name="programForm">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:enumeration value="dual"/>
            <xs:enumeration value="full-time"/>
            <xs:enumeration value="part-time"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>

```

```

<xs:element name="programLevel">
    <xs:simpleType>
        <xs:restriction base="xs:string">
            <xs:enumeration value="academic bachelor"/>
            <xs:enumeration value="academic master"/>
            <xs:enumeration value="associate"/>
            <xs:enumeration value="bachelor"/>
            <xs:enumeration value="language course"/>
            <xs:enumeration value="master"/>
            <xs:enumeration value="minor"/>
            <xs:enumeration value="PhD"/>
            <xs:enumeration value="preparatory"/>
            <xs:enumeration value="short course"/>
            <xs:enumeration value="summer course"/>
            <xs:enumeration value="winter course"/>
            <xs:enumeration value="exchange program"/>
        </xs:restriction>
    </xs:simpleType>
</xs:element>

```

```

<xs:element name="address" type="ns1:address"/>

```

```

<xs:complexType name="address">
    <xs:sequence>
        <xs:element name="addressType">
            <xs:simpleType>
                <xs:restriction base="xs:string">
                    <xs:enumeration value="postal">

```



```

</xs:enumeration>
        <xs:enumeration value="visitation">
</xs:enumeration>
        </xs:restriction>
        </xs:simpleType>
    </xs:element>
    <xs:element name="city" type="xs:string"/>
    <xs:element name="country"
type="ns1:countryCode"/>
    <xs:element name="house_number" type="xs:string"/>
    <xs:element name="street" type="xs:string"/>
    <xs:element name="zipcode" type="xs:string"/>
    </xs:sequence>
</xs:complexType>

<xs:complexType name="localizedString">
    <xs:simpleContent>
        <xs:extension base="xs:string">
            <xs:attribute ref="xml:lang" use="required"/>
        </xs:extension>
    </xs:simpleContent>
</xs:complexType>

    <xs:complexType name="localizedString2400">
        <xs:simpleContent>
            <xs:restriction base="ns1:localizedString">
                <xs:maxLength value="2400"/>
            </xs:restriction>
        </xs:simpleContent>
    </xs:complexType>

    <xs:complexType name="localizedString1200">
        <xs:simpleContent>
            <xs:restriction base="ns1:localizedString">
                <xs:maxLength value="1200"/>
            </xs:restriction>
        </xs:simpleContent>
    </xs:complexType>

    <xs:complexType name="localizedString500">
        <xs:simpleContent>
            <xs:restriction base="ns1:localizedString">
                <xs:maxLength value="500"/>
            </xs:restriction>
        </xs:simpleContent>
    </xs:complexType>

    <xs:complexType name="localizedString300">
        <xs:simpleContent>
            <xs:restriction base="ns1:localizedString">
                <xs:maxLength value="300"/>
            </xs:restriction>
        </xs:simpleContent>
    </xs:complexType>

    <xs:complexType name="localizedString200">

```

```

    <xs:simpleContent>
      <xs:restriction base="ns1:localizedString">
        <xs:maxLength value="200"/>
      </xs:restriction>
    </xs:simpleContent>
  </xs:complexType>

```

```

<xs:simpleType name="countryCode">
  <xs:annotation>
    <xs:documentation> country codes are based on ISO
3166-1 alpha-2. Hodex uses these country
codes in lowercase </xs:documentation>
  </xs:annotation>
  <xs:restriction base="xs:string">
    <xs:enumeration value="eu"/>

    <xs:enumeration value="ae"/>
    <xs:enumeration value="af"/>
    <xs:enumeration value="am"/>
    <xs:enumeration value="au"/>
    <xs:enumeration value="ar"/>
    <xs:enumeration value="at"/>
    <xs:enumeration value="al"/>
    <xs:enumeration value="ba"/>
    <xs:enumeration value="be"/>
    <xs:enumeration value="bf"/>
    <xs:enumeration value="bj"/>
    <xs:enumeration value="bh"/>
    <xs:enumeration value="bi"/>
    <xs:enumeration value="bj"/>
    <xs:enumeration value="bo"/>
    <xs:enumeration value="br"/>
    <xs:enumeration value="bs"/>
    <xs:enumeration value="bt"/>
    <xs:enumeration value="ca"/>
    <xs:enumeration value="cg"/>
    <xs:enumeration value="ch"/>
    <xs:enumeration value="ci"/>
    <xs:enumeration value="cl"/>
    <xs:enumeration value="cn"/>
    <xs:enumeration value="co"/>
    <xs:enumeration value="cr"/>
    <xs:enumeration value="cu"/>
    <xs:enumeration value="cv"/>
    <xs:enumeration value="cz"/>
    <xs:enumeration value="de"/>
    <xs:enumeration value="dk"/>
    <xs:enumeration value="ec"/>
    <xs:enumeration value="eg"/>
    <xs:enumeration value="er"/>
    <xs:enumeration value="es"/>
    <xs:enumeration value="et"/>
    <xs:enumeration value="fi"/>
    <xs:enumeration value="fr"/>
    <xs:enumeration value="gb"/>

```

```
<xs:enumeration value="ge"/>
<xs:enumeration value="gh"/>
<xs:enumeration value="gr"/>
<xs:enumeration value="gt"/>
<xs:enumeration value="gw"/>
<xs:enumeration value="hk"/>
<xs:enumeration value="hn"/>
<xs:enumeration value="hu"/>
<xs:enumeration value="id"/>
<xs:enumeration value="ie"/>
<xs:enumeration value="il"/>
<xs:enumeration value="in"/>
<xs:enumeration value="ir"/>
<xs:enumeration value="is"/>
<xs:enumeration value="it"/>
<xs:enumeration value="jo"/>
<xs:enumeration value="jp"/>
<xs:enumeration value="ke"/>
<xs:enumeration value="kh"/>
<xs:enumeration value="kr"/>
<xs:enumeration value="kv"/>
<xs:enumeration value="lk"/>
<xs:enumeration value="lt"/>
<xs:enumeration value="lu"/>
<xs:enumeration value="lv"/>
<xs:enumeration value="md"/>
<xs:enumeration value="mk"/>
<xs:enumeration value="ml"/>
<xs:enumeration value="mn"/>
<xs:enumeration value="mt"/>
<xs:enumeration value="mx"/>
<xs:enumeration value="my"/>
<xs:enumeration value="mz"/>
<xs:enumeration value="na"/>
<xs:enumeration value="ni"/>
<xs:enumeration value="ng"/>
<xs:enumeration value="nl"/>
<xs:enumeration value="no"/>
<xs:enumeration value="np"/>
<xs:enumeration value="nz"/>
<xs:enumeration value="ro"/>
<xs:enumeration value="pe"/>
<xs:enumeration value="ph"/>
<xs:enumeration value="pk"/>
<xs:enumeration value="pl"/>
<xs:enumeration value="ps"/>
<xs:enumeration value="pt"/>
<xs:enumeration value="ru"/>
<xs:enumeration value="rw"/>
<xs:enumeration value="sa"/>
<xs:enumeration value="sd"/>
<xs:enumeration value="se"/>
<xs:enumeration value="sg"/>
<xs:enumeration value="sk"/>
<xs:enumeration value="sn"/>
<xs:enumeration value="si"/>
```

```

        <xs:enumeration value="sr"/>
        <xs:enumeration value="sv"/>
        <xs:enumeration value="sy"/>
        <xs:enumeration value="th"/>
        <xs:enumeration value="tr"/>
        <xs:enumeration value="tw"/>
        <xs:enumeration value="tz"/>
        <xs:enumeration value="ug"/>
        <xs:enumeration value="uk"/>
        <xs:enumeration value="us"/>
        <xs:enumeration value="vn"/>
        <xs:enumeration value="ye"/>
        <xs:enumeration value="za"/>
        <xs:enumeration value="zm"/>
        <xs:enumeration value="zw"/>
    </xs:restriction>
</xs:simpleType>

```

```

<xs:element name="mediaItem">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="itemId" type="xs:string"/>
      <xs:element name="descriptionHtml"
minOccurs="0" maxOccurs="unbounded"/><!-- for future use -->
      <xs:element name="descriptionText"
minOccurs="0" maxOccurs="unbounded"
type="ns1:localizedString2400"/>
      <xs:element name="header1" minOccurs="0"
maxOccurs="unbounded" type="ns1:localizedString200"/>
      <xs:element name="media" minOccurs="0"
maxOccurs="unbounded" type="ns1:media"/>
      <xs:element name="metadata" minOccurs="0"/>
      <!-- undefined for now -->
      <xs:element name="subject"
type="ns1:subject"/>
      <xs:element name="summaryHtml" minOccurs="0"
maxOccurs="unbounded"/><!-- for future use -->
      <xs:element name="summaryText" minOccurs="0"
maxOccurs="unbounded" type="ns1:localizedString500"/>
      <xs:element name="targetSegment" minOccurs="0"
maxOccurs="unbounded" type="ns1:definedSegments"/>
      <xs:element minOccurs="0"
maxOccurs="unbounded" ref="ns1:webLink"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>

<xs:complexType name="media">
  <xs:sequence>
    <xs:element name="metadata"
minOccurs="0"/>

```

```

        <xs:element name="title"          minOccurs="0"
maxOccurs="unbounded" type="ns1:localizedString200"/>
        <xs:element name="type"
type="ns1:mediaType"/>
        <xs:element name="url">
            <xs:complexType>
                <xs:simpleContent>
                    <xs:extension
base="xs:anyURI">
                        <xs:attribute
ref="xml:lang" use="optional"/>
                    </xs:extension>
                </xs:simpleContent>
            </xs:complexType>
        </xs:element>
    </xs:sequence>
    <xs:attribute ref="xml:lang" use="optional"/>
</xs:complexType>

```

```

<xs:simpleType name="mediaType">
    <xs:restriction base="xs:string">
        <xs:enumeration value="audio"/>
        <xs:enumeration value="image"/>
        <xs:enumeration value="video"/>
        <xs:enumeration value="vimeo"/>
        <xs:enumeration value="youtube"/>
        <xs:enumeration value="pdf"/>
        <xs:enumeration value="website"/>
    </xs:restriction>
</xs:simpleType>

<xs:simpleType name="definedSegments">
    <xs:restriction base="xs:string">
        <!-- op regio -->
        <xs:enumeration value="international student"/>
<!-- internationale student -->
        <xs:enumeration value="German student"/> <!--
Duitse student -->
        <xs:enumeration value="Dutch student"/> <!--
Nederlandse student -->
        <xs:enumeration value="exchange student"/> <!--
uitwisselingsstudent -->

        <!-- op opleidings-werkachtergrond -->
        <xs:enumeration value="vocational degree"/> <!--
Nederland MBO -->
        <xs:enumeration value="applied science degree"/>
<!-- Nederland hbo -->
        <xs:enumeration value="academic degree"/> <!--
Nederland WO bachelor of master -->
        <xs:enumeration value="active profession"/> <!--
werkenden -->

        <!-- op basis van relatie met de studievoerker -->

```

```
        <xs:enumeration value="parent"/> <!-- ouders -->
        <xs:enumeration value="school employee"/> <!--
decanen/docenten -->

        <!-- op basis van achtergrond/voorkeur van de
studiezoeker -->
        <xs:enumeration value="prospective PhD"/> <!--
prospective PhD -->
        <xs:enumeration value="prospective part-time"/>
<!-- deeltijders -->
        </xs:restriction>
    </xs:simpleType>

</xs:schema>
```